

BioCheck Palliser Animal Health Laboratories Ltd.  
 6 - 320 W.T. Hill Blvd. South  
 Lethbridge, AB. T1J 4W9  
 Phone : (403) 328-1844 Fax (403) 328-1798  
 Email: bhandsaeme@biochecklabs.com

### PRRS Report

Customer <b>Dr E.D Morgan</b> Clinic Morgan Veterinary Clinic Address 904 - 13th street South Lethbridge ,(AB), T1J 2X2 Phone (403) 327-7447 Fax (403) 327-7354 Owner <b>Magnum Swine Genetics</b>	Confirmed on: April 2017 Sample Type: S�rum Sample count: 36
--	--

Test	DBI	No	Identification	S/P	Result	Comment
PRRS	17PRRS92592	1	05-04-2471-M	0.000	NEG	
PRRS	17PRRS92592	2	05-04-2468-M	0.000	NEG	
PRRS	17PRRS92592	3	05-04-8279-M	0.000	NEG	
PRRS	17PRRS92592	4	05-04-8356-M	0.000	NEG	
PRRS	17PRRS92592	5	05-04-5521-M	0.000	NEG	
PRRS	17PRRS92592	6	05-04-3142-M	0.000	NEG	
PRRS	17PRRS92627	7	12-04-1886-M	0.110	NEG	
PRRS	17PRRS92627	8	12-04-5278-M	0.010	NEG	
PRRS	17PRRS92627	9	12-04-4918-M	0.060	NEG	
PRRS	17PRRS92627	10	12-04-67501-M	0.040	NEG	
PRRS	17PRRS92627	11	12-04-1854-M	0.050	NEG	
PRRS	17PRRS92659	12	19-04-31802-M	0.000	NEG	
PRRS	17PRRS92659	13	19-04-858-M	0.000	NEG	
PRRS	17PRRS92659	14	19-04-8156-M	0.000	NEG	
PRRS	17PRRS92659	15	19-04-5602-M	0.000	NEG	
PRRS	17PRRS92659	16	19-04-8433-M	0.010	NEG	
PRRS	17PRRS92694	17	26-04-58801-M	0.010	NEG	
PRRS	17PRRS92694	18	26-04-5113-M	0.000	NEG	
PRRS	17PRRS92694	19	26-04-1902-M	0.000	NEG	
PRRS	17PRRS92694	20	26-04-5288-M	0.000	NEG	
PRRS	17PRRS92694	21	26-04-5603-M	0.040	NEG	
PRRS	17PRRS92694	22	26-04-167-M	0.030	NEG	
PRRS	17PRRS92694	23	26-04-168-M	0.040	NEG	
PRRS	17PRRS92695	24	26-04-6385-M	0.000	NEG	
PRRS	17PRRS92695	25	26-04-6494-M	0.000	NEG	
PRRS	17PRRS92695	26	26-04-7739-M	0.000	NEG	
PRRS	17PRRS92695	27	26-04-7772-M	0.000	NEG	
PRRS	17PRRS92695	28	26-04-7800-M	0.000	NEG	
PRRS	17PRRS92695	29	26-04-8353-M	0.010	NEG	
PRRS	17PRRS92695	30	26-04-8415-M	0.060	NEG	
PRRS	17PRRS92695	31	26-04-8589-M	0.000	NEG	
PRRS	17PRRS92695	32	26-04-8594-M	0.040	NEG	
PRRS	17PRRS92695	33	26-04-8614-M	0.000	NEG	
PRRS	17PRRS92695	34	26-04-8617-M	0.000	NEG	
PRRS	17PRRS92695	35	26-04-8891-M	0.000	NEG	
PRRS	17PRRS92695	36	26-04-9073-M	0.000	NEG	

**Interpretation**  
 Ratio < 0.4 : Negative