

BioCheck Palliser Animal Health Laboratories Ltd.  
 6 - 320 W.T. Hill Blvd. South  
 Lethbridge, AB. T1J 4W9  
 Phone : (403) 328-1844 Fax (403) 328-1798  
 Email: bhandsaeme@biochecklabs.com

### PRRS Report

<p><b>Customer</b> <b>Dr E.D Morgan</b>  <b>Clinic</b> Morgan Veterinary Clinic  <b>Address</b> 904 - 13th street South          Lethbridge ,(AB), T1J 2X2  <b>Phone</b> (403) 327-7447  <b>Fax</b> (403) 327-7354  <b>Owner</b> <b>Magnum Swine Genetics</b></p>	<p>Confirmed on: January 2018          Sample Type: Sérum          Sample count: 37</p>
---	---

Test	DBI	No	Identification	S/P	Result	Comment
PRRS	18PRRS94182	1	03-01-2325-M	0.000	NEG	
PRRS	18PRRS94182	2	03-01-7958-M	0.000	NEG	
PRRS	18PRRS94182	3	03-01-19396-M	0.000	NEG	
PRRS	18PRRS94182	4	03-01-7948-M	0.000	NEG	
PRRS	18PRRS94182	5	03-01-9001-M	0.000	NEG	
PRRS	18PRRS94232	6	10-01-2342-M	0.070	NEG	
PRRS	18PRRS94232	7	10-01-2083-M	0.070	NEG	
PRRS	18PRRS94232	8	10-01-2305-M	0.100	NEG	
PRRS	18PRRS94232	9	10-01-2269-M	0.050	NEG	
PRRS	18PRRS94232	10	10-01-2291-M	0.050	NEG	
PRRS	18PPRS94271	11	17-01-168-M	0.000	NEG	
PRRS	18PRRS94271	12	17-01-8589-M	0.000	NEG	
PRRS	18PRRS94271	13	17-01-8617-M	0.000	NEG	
PRRS	18PPRS94271	14	17-01-6799-M	0.000	NEG	
PRRS	18PRRS94271	15	17-01-8594-M	0.000	NEG	
PRRS	18PRRS94271	16	17-01-2306-M	0.000	NEG	
PRRS	18PRRS94272	17	17-01-1791-M	0.000	NEG	
PRRS	18PRRS94272	18	17-01-1793-M	0.000	NEG	
PRRS	18PRRS94272	19	17-01-7212-M	0.050	NEG	
PRRS	18PRRS94272	20	17-01-7213-M	0.000	NEG	
PRRS	18PRRS94272	21	17-01-7215-M	0.000	NEG	
PRRS	18PRRS94272	22	17-01-7216-M	0.080	NEG	
PRRS	18PRRS94272	23	17-01-7217-M	0.010	NEG	
PRRS	18PRRS94272	24	17-01-7218-M	0.000	NEG	
PRRS	18PRRS94272	25	17-01-7219-M	0.010	NEG	
PRRS	18PRRS94272	26	17-01-7220-M	0.100	NEG	
PRRS	18PRRS94272	27	17-01-7221-M	0.000	NEG	
PRRS	18PRRS94318	28	24-01-6804-M	0.000	NEG	
PRRS	18PRRS94318	29	24-01-8415-M	0.000	NEG	
PRRS	18PRRS94318	30	24-01-3528-M	0.010	NEG	
PRRS	18PRRS94318	31	24-01-3405-M	0.040	NEG	
PRRS	18PRRS94318	32	24-01-8614-M	0.000	NEG	
PRRS	18PRRS94369	33	31-01-217-M	0.000	NEG	
PRRS	18PRRS94369	34	31-01-211-M	0.000	NEG	
PRRS	18PRRS94369	35	31-01-8353-M	0.000	NEG	
PRRS	18PRRS94369	36	31-01-7772-M	0.010	NEG	
PRRS	18PRRS94369	37	31-01-7800-M	0.000	NEG	