

BioCheck Palliser Animal Health Laboratories Ltd.
 6 - 320 W.T. Hill Blvd. South
 Lethbridge, AB. T1J 4W9
 Phone : (403) 328-1844 Fax (403) 328-1798
 Email: bhandsaeme@biochecklabs.com

PRRS Report

<p>Customer Dr E.D Morgan Clinic Morgan Veterinary Clinic Address 904 - 13th street South Lethbridge ,(AB), T1J 2X2 Phone (403) 327-7447 Fax (403) 327-7354 Owner Magnum Swine Genetics</p>	<p>Confirmed on: September 2018 Sample Type: Sérum Sample count: 45</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------

Test	DBI	No	Identification	S/P	Result	Comment
PRRS	18PRRS558	1	06-09-45405-M	0.110	NEG	
PRRS	18PRRS558	2	06-09-2347-M	0.170	NEG	
PRRS	18PRRS558	3	06-09-2346-M	0.110	NEG	
PRRS	18PRRS558	4	06-09-11401-M	0.150	NEG	
PRRS	18PRRS558	5	06-09-2350-M	0.110	NEG	
PRRS	18PRRS599	6	12-09-3718-M	0.120	NEG	
PRRS	18PRRS599	7	12-09-3727-M	0.090	NEG	
PRRS	18PRRS599	8	12-09-3721-M	0.100	NEG	
PRRS	18PRRS599	9	12-09-3720-M	0.090	NEG	
PRRS	18PRRS599	10	12-09-3722-M	0.110	NEG	
PRRS	18PRRS633	11	19-09-7216-M	0.070	NEG	
PRRS	18PRRS633	12	19-09-5517-M	0.080	NEG	
PRRS	18PRRS633	13	19-09-5525-M	0.060	NEG	
PRRS	18PRRS633	14	19-09-4628-M	0.080	NEG	
PRRS	18PRRS633	15	19-09-7217-M	0.050	NEG	
PRRS	18PRRS676	16	26-09-168-M	0.020	NEG	
PRRS	18PRRS676	17	26-09-5511-M	0.020	NEG	
PRRS	18PRRS676	18	26-09-5512-M	0.030	NEG	
PRRS	18PRRS676	19	26-09-7213-M	0.060	NEG	
PRRS	18PRRS676	20	26-09-7221-M	0.000	NEG	
PRRS	18PRRS676	21	26-09-5515-M	0.020	NEG	
PRRS	18PRRS677	22	26-09-1048-M	0.000	NEG	
PRRS	18PRRS677	23	26-09-1069-M	0.020	NEG	
PRRS	18PRRS677	24	26-09-1923-M	0.000	NEG	
PRRS	18PRRS677	25	26-09-1927-M	0.010	NEG	
PRRS	18PRRS677	26	26-09-269-M	0.140	NEG	
PRRS	18PRRS677	27	26-09-4432-M	0.000	NEG	
PRRS	18PRRS677	28	26-09-4965-M	0.040	NEG	
PRRS	18PRRS677	29	26-09-5152-M	0.020	NEG	
PRRS	18PRRS677	30	26-09-5553-M	0.050	NEG	
PRRS	18PRRS677	31	26-09-5969-M	0.030	NEG	
PRRS	18PRRS677	32	26-09-5993-M	0.000	NEG	
PRRS	18PRRS677	33	26-09-6240-M	0.020	NEG	
PRRS	18PRRS677	34	26-09-6280-M	0.010	NEG	
PRRS	18PRRS677	35	26-09-6285-M	0.020	NEG	
PRRS	18PRRS677	36	26-09-6297-M	0.020	NEG	
PRRS	18PRRS677	37	26-09-6415-M	0.030	NEG	
PRRS	18PRRS677	38	26-09-6423-M	0.080	NEG	
PRRS	18PRRS677	39	26-09-6571-M	0.000	NEG	

PRRS	18PRRS677	40	26-09-6572-M	0.010	NEG	
PRRS	18PRRS677	41	26-09-687-M	0.040	NEG	
PRRS	18PRRS677	42	26-09-812-M	0.060	NEG	
PRRS	18PRRS677	43	26-09-821-M	0.030	NEG	
PRRS	18PRRS677	44	26-09-831-M	0.000	NEG	
PRRS	18PRRS677	45	26-09-93-M	0.010	NEG	