

BioCheck Palliser Animal Health Laboratories Ltd.
 6 - 320 W.T. Hill Blvd. South
 Lethbridge, AB. T1J 4W9
 Phone : (403) 328-1844 Fax (403) 328-1798
 Email: bhandsaeme@biochecklabs.com

PRRS Report

| | |
|---|--|
| <p>Customer Dr E.D Morgan Clinic Morgan Veterinary Clinic Address 904 - 13th street South Lethbridge ,(AB), T1J 2X2 Phone (403) 327-7447 Fax (403) 327-7354 Owner Magnum Swine Genetics</p> | <p>Confirmed on: July 2019 Sample Type: Sérum Sample count: 52</p> |
|---|--|

| Test | DBI | No | Identification | S/P | Result | Comment |
|------|------------|----|----------------|-------|--------|---------|
| PRRS | 19PRRS2069 | 1 | 03-07-7136-M | 0.220 | NEG | |
| PRRS | 19PRRS2069 | 2 | 03-07-50858-M | 0.110 | NEG | |
| PRRS | 19PRRS2069 | 3 | 03-07-5514-M | 0.030 | NEG | |
| PRRS | 19PRRS2069 | 4 | 03-07-6276-M | 0.170 | NEG | |
| PRRS | 19PRRS2069 | 5 | 03-07-55139-M | 0.050 | NEG | |
| PRRS | 19PRRS2069 | 6 | 03-07-50723-M | 0.060 | NEG | |
| PRRS | 19PRRS2099 | 7 | 10-07-168-M | 0.050 | NEG | |
| PRRS | 19PRRS2099 | 8 | 10-07-73403-M | 0.090 | NEG | |
| PRRS | 19PRRS2099 | 9 | 10-07-40102-M | 0.040 | NEG | |
| PRRS | 19PRRS2099 | 10 | 10-07-70702-M | 0.030 | NEG | |
| PRRS | 19PRRS2099 | 11 | 10-07-48801-M | 0.070 | NEG | |
| PRRS | 19PRRS2099 | 12 | 10-07-3780-M | 0.060 | NEG | |
| PRRS | 19PRRS2100 | 13 | 10-07-2430-M | 0.040 | NEG | |
| PRRS | 19PRRS2100 | 14 | 10-07-2835-M | 0.040 | NEG | |
| PRRS | 19PRRS2100 | 15 | 10-07-2988-M | 0.040 | NEG | |
| PRRS | 19PRRS2100 | 16 | 10-07-2989-M | 0.060 | NEG | |
| PRRS | 19PRRS2100 | 17 | 10-07-2992-M | 0.050 | NEG | |
| PRRS | 19PRRS2100 | 18 | 10-07-6979-M | 0.020 | NEG | |
| PRRS | 19PRRS2100 | 19 | 10-07-7060-M | 0.040 | NEG | |
| PRRS | 19PRRS2100 | 20 | 10-07-7583-M | 0.060 | NEG | |
| PRRS | 19PRRS2100 | 21 | 10-07-7697-M | 0.120 | NEG | |
| PRRS | 19PRRS2100 | 22 | 10-07-4928-M | 0.020 | NEG | |
| PRRS | 19PRRS2100 | 23 | 10-07-4929-M | 0.030 | NEG | |
| PRRS | 19PRRS2100 | 24 | 10-07-4930-M | 0.020 | NEG | |
| PRRS | 19PRRS2100 | 25 | 10-07-4934-M | 0.130 | NEG | |
| PRRS | 19PRRS2100 | 26 | 10-07-6786-M | 0.080 | NEG | |
| PRRS | 19PRRS2100 | 27 | 10-07-6877-M | 0.120 | NEG | |
| PRRS | 19PRRS2100 | 28 | 10-07-6878-M | 0.090 | NEG | |
| PRRS | 19PRRS2100 | 29 | 10-07-6880-M | 0.050 | NEG | |
| PRRS | 19PRRS2100 | 30 | 10-07-6881-M | 0.120 | NEG | |
| PRRS | 19PRRS2100 | 31 | 10-07-6882-M | 0.070 | NEG | |
| PRRS | 19PRRS2130 | 32 | 17-07-2360-M | 0.030 | NEG | |
| PRRS | 19PRRS2130 | 33 | 17-07-4692-M | 0.060 | NEG | |
| PRRS | 19PRRS2130 | 34 | 17-07-1048-M | 0.060 | NEG | |
| PRRS | 19PRRS2130 | 35 | 17-07-1923-M | 0.040 | NEG | |
| PRRS | 19PRRS2130 | 36 | 17-07-23158-M | 0.000 | NEG | |
| PRRS | 19PRRS2130 | 37 | 17-07-4934-M | 0.080 | NEG | |
| PRRS | 19PRRS2130 | 38 | 17-07-6881-M | 0.210 | NEG | |
| PRRS | 19PRRS2130 | 39 | 17-07-4930-M | 0.000 | NEG | |

| | | | | | | |
|------|------------|----|---------------|-------|-----|--|
| PRRS | 19PRRS2130 | 40 | 17-07-6882-M | 0.060 | NEG | |
| PRRS | 19PRRS2130 | 41 | 17-07-4933-M | 0.210 | NEG | |
| PRRS | 19PRRS2130 | 42 | 17-07-6877-M | 0.100 | NEG | |
| PRRS | 19PRRS2171 | 43 | 24-07-8156-M | 0.060 | NEG | |
| PRRS | 19PRRS2171 | 44 | 24-07-57803-M | 0.030 | NEG | |
| PRRS | 19PRRS2171 | 45 | 24-07-1927-M | 0.040 | NEG | |
| PRRS | 19PRRS2171 | 46 | 24-07-40603-M | 0.160 | NEG | |
| PRRS | 19PRRS2171 | 47 | 24-07-57602-M | 0.100 | NEG | |
| PRRS | 19PRRS2200 | 48 | 31-07-45301-M | 0.080 | NEG | |
| PRRS | 19PRRS2200 | 49 | 31-07-41804-M | 0.070 | NEG | |
| PRRS | 19PRRS2200 | 50 | 31-07-1791-M | 0.040 | NEG | |
| PRRS | 19PRRS2200 | 51 | 31-07-1793-M | 0.160 | NEG | |
| PRRS | 19PRRS2200 | 52 | 31-07-44804-M | 0.140 | NEG | |